GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – MA&UD Department – Certain allegations against Sri C.Gopal Reddy, the then Executive Engineer, PH, QC Circle, Guntur and three (3) others of GMC for committing irregularities in the execution of Storm Water Drains in Violation of Master Plan taken up by the Mangalagiri Municipality and VGTMUDA, Vijayawada – Common Disciplinary proceedings under Rule 24 of A.P.CS (CCA) Rules, 1991 - WSDs submitted - Appointment of Sri M.Zacharaiah, Superintending Engineer, CRDA., as an Enquiry Officer - Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II.2) DEPARTMENT

G.O.Rt.No.161 **Dated:21.02.2019.**

Read the following:-

1) From General Administration (V&E) Department, Vigilance Report No.55 (C.No.993/V&E/E/2015), dt.4.7.2015.
2) Govt.Memo.No.28794/Vig.I.2/2015, MA&UD (Vig.I) Department, dated.14.03.2017.
3) From the DMA., Lr.Roc.No.11826/2015/C3, dt.12.10.2015.
4) From the ENC (PH), A.P., Guntur, Lr.No.859/V&E/VR.55/ CS2/2015, dt.8.10.2015.
5) G.O.Rt.Nos.382 to 386, MA&UD (Vig.II) Dept., dt.25.04.2018.
6) WSDs of the Charged Officers, dt.21.6.2018, 20.7.2018, 4.8.2018 and 01.11.2018.

***

O R D E R:

Whereas, an inquiry under Rule-20 of A.P. Civil Services (CC&A) Rules, 1991 is being held against Sri C.Gopal Reddy, the then Executive Engineer, PH, QC Circle, Guntur, Sri Ch.Dhanunjaya, Executive Engineer (PH), Guntur, Sri M.Nageswara Rao, the then Deputy Executive Engineer, PH Sub-Divn., and Sri Ch.Srinivas, the then Municipal Commissioner for committing irregularities in the execution of Storm Water Drains in Violation of Master Plan taken up by the Mangalagiri Municipality and VGTMUDA, Vijayawada.

2. Whereas, Government after careful examination of the matter, it is considered that an Enquiry Officer should be appointed to inquire into the charges framed against above charged officers.

3. Now, therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of A.P. Civil Services (CC&A) Rules, 1991, the disciplinary authority hereby appoints Sri M.Zacharaiah, Superintending Engineer, CRDA., as an Enquiry Officer to enquire into charges framed against the above charged officers of Mangalagiri Municipality.

4. The Enquiry Officer shall complete the enquiry and submit Enquiry Report within three months time.

(P.T.O)

5. The Engineer-In-Chief (PH), A.P., Guntur shall provide the required material such as Article of Charges, Written Statement of Defence of the Charged Officer etc., to the Enquiry Officer.

6. The receipt of the G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri M.Zacharaiah, Superintending Engineer & Enquiry Officer,
CRDA, Vijayawada – **through** the, ENC (PH), A.P., Guntur.
Sri T.Sampath Kumar, EE., PH Circle, Guntur
– **through** the ENC (PH), A.P., Guntur.
Sri C.Gopal Reddy, EE (PH), Kadapa.
Sri Ch.Dhanunjaya, EE, CRDA.
Sri M.Nageswar Rao, the then Dy.EE.
- through the ENC (PH), A.P., Guntur.
Sri Ch.Srinivas, Dy.Commissioner, Nellore Municipal Corporation,
Nellore - **through** Commissioner, NMC., Nellore.

Copy to:
The Engineer-In-Chief (PH), A.P., Guntur.
The Director of Municipal Administration, A.P., Guntur.
The G.A. (V&E) Department, A.P., Vijayawada.
The Secretary to A.P.V.C., 5th Building, A.P. Secretariat, Velagapudi.
SF / SCs.

// FORWARDED BY ORDER //

SECTION OFFICER.